

Haier Biomedical

Intelligent Protection of Life Science

-86°C ULT Freezer

DW-86L388J



Energy saving

VIP (Vacuum Insulation Panel) design with extra insulation cuts down on heat loss to cabinet by 25% and helps reduce energy consumption by more than 20%, power consumption only 8 kWh/day



Slim design

Easily fits through every standard lab door and takes a small footprint



Reliable

Cabinet temperature can reach -86°C with temp uniformity within 5°C

Complementary products



CO₂
Backup
Systems



Chart
Recorder



Stainless
Steel
Racks



Cryo
Boxes

Specifications

DW-86L388J

Technical Data

Type	-86°C ULT Freezer
Cabinet Type	Upright
Climate Class	N
Cooling Type	Direct cooling
Defrost Mode	Manual
Refrigerant	HC
Noise Level (dB)	50

Performance

Cooling performance(°C)	-86
Temperature Range(°C)	-40~-86

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50
Power(W)	1000
Electrical Current(A)	8

Functions

High/Low Temperature	Y
Remote Alarm	Y
Hot Condenser	Y
Power Failure	Y
Sensor Error	Y
Low Battery	Y
High Ambient Temp	Y
Door Ajar	Y



Accessories

Caster	Y
Foot	Y
Test Hole	Y/2
Shelves/Inner Doors	3/2
Temperature Recorder	Optional
USB Interface	Y
Rs232/485 Interface	Optional
CO ₂ Backup System	Optional
LN ₂ Backup System	Optional
Racks & Boxes	Optional

Dimensions

Capacity(L/Cu.Ft)	388/13.7	
Net/Gross Weight(approx)	255/286(kg)	562.2/630.5(lbs)
Interior Dimensions(W*D*H)	465*630*1310(mm)	18.3*24.8*51.6(in)
Exterior Dimensions(W*D*H)	812*893*1980(mm)	32.0*35.2*78.0(in)
Packing Dimensions(W*D*H)	875*970*2135(mm)	34.4*38.2*84.1(in)
Container load (20'/40'/40'H)	12/24/24	

Accessories & consumables

DW-86L388J

Consumables

Racks	Part Code	
Model	DCJ-54-A	DCJ-54-B
Q'ty/Layer	3	
Dimension W*D*H)	138*565*293(mm) 5.4*22.2*11.5(in)	140*565*293(mm) 5.5*22.2*11.5(in)

Boxes	Part Code			
Model	T130	HBB-200-PP	HBB-281-PC	HBB-200-C
Material	PP	PP	PC	PC
Dimension W*D*H)	133*133*53.5(mm)		5.2*5.2*2.1(in)	
Q'ty/Rack	20			

Total Q'ty				
Racks	12			
Boxes	240			
Vials	19440	24000	19440	24000

Complementary products



CO2 Backup Systems



Stainless Steel Racks





Chart Recorder



Cryo Boxes

CO₂ Backup System

Model	HBX-IC
Temperature range	-40°C to -70°C

LN₂ Backup System

Model	HBX-□ A
Temperature range	-90°C to -135°C

Chart Recorder

Temperature range	+50°C to -115°C
-------------------	-----------------

Others

Certificate	CE,UL
-------------	-------



Scan 2D barcode with your mobile device to learn more information about Haier Biomedical

Haier Biomedical

Available in NZ from:
 CCAT Scientific 0800 222 812
 info@ccat.co.nz
 See our range at:
 minus80.co.nz and haiermedical.co.nz

Intelligent Protection
of Life Science